



NDT - Navel Dip Treatment

MSDS Number: H698125

Revision Date: September 10, 2015

Page 1 of 5

1 PRODUCT AND COMPANY IDENTIFICATION

Product Name: NDT - Navel Dip Treatment
Revision Date: September 10, 2015
MSDS Number: H698125

Manufactured for:

Kärcher North America, Inc.
 325 South Price Road
 Chandler, AZ 85224

Phone: 360-833-1600
Fax: 360-833-9200
Email: info@karcherna.com
Web: www.karcher.com

Emergency Information: INFOTRAC 1-800-535-5053 International 1-352-323-3500

2 HAZARDS IDENTIFICATION

- Route of Entry:** Eyes; Skin; Inhalation
- Target Organs:** Eyes; Skin
- Inhalation:** Respiratory tract irritation may occur with exposure to a large amount of material.
- Skin Contact:** May cause irritation.
- Eye Contact:** May cause irritation.
- Ingestion:** Toxic; if swallowed. Will cause gastrointestinal irritation with nausea, vomiting and diarrhea. Get medical attention.

NFPA:
 HMIS III:

Health = 2, Fire = 1, Reactivity = 0
 H2/F1/PH0



HMIS III	
HEALTH	□ 2
FLAMMABILITY	1
PHYSICAL HAZARDS	0
PERSONAL PROTECTION B Safety Glasses, Gloves	

PERSONAL PROTECTION INDEX													
A													
B		+											
C		+		+		+							
D		+		+		+							
E		+		+									
F		+		+		+							
G		+		+		+							
H		+		+		+		+		+			
I		+		+		+							
J		+		+		+		+		+			
K				+		+							
X	Consult your supervisor or S.O.P. for "SPECIAL" handling directions												
A		n		o		p		q		r		s	
t		u		w		y		z		Additional Information			



NDT - Navel Dip Treatment

MSDS Number: H698125

Revision Date: September 10, 2015

Page 2 of 5

GHS Signal Word:
DANGER

GHS Hazard Pictograms:



GHS Classifications:
Health, Acute toxicity, 3 Oral
Health, Acute toxicity, 5 Dermal
Health, Serious Eye Damage/Eye Irritation, 2 A
Health, Acute toxicity, 5 Inhalation

GHS Phrases:
H301 - Toxic if swallowed
H313 - May be harmful in contact with skin
H319 - Causes serious eye irritation
H333 - May be harmful if inhaled

GHS Precautionary Statements:
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 - Wash exposed skin thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P304+312 - IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P337 + P313- If eye irritation persists: Get medical advice/attention.
P405 - Store locked up.

3

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Percentage	Chemical Name
10049-04-4	15-25%	Chlorine dioxide

OSHA Regulatory Status:

This SDS contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.



NDT - Navel Dip Treatment

MSDS Number: H698125

Revision Date: September 10, 2015

Page 3 of 5

4 FIRST AID MEASURES

- Inhalation:** If mist or vapor of this product is inhaled, remove person immediately to fresh air. Seek medical attention if symptoms develop or persist.
- Skin Contact:** Wash with soap and water. If irritation persists consult medical personnel.
- Eye Contact:** Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation. Get immediate medical attention.
- Ingestion:** If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. If injured party is conscious, give two glasses of water. Seek medical attention.

5 FIRE FIGHTING MEASURES

- Flash Point:** 100°C/ 212°F
- Flash Point Method:** Closed Cup

Wear self-contained breathing apparatus and other protective clothing. Use any standard agent - choose the one most appropriate for type of surrounding fire.

6 ACCIDENTAL RELEASE MEASURES

Keep away from drains and ground water. Keep all unnecessary personnel away. Spill area may be slippery. Pick up excess with inert absorbent material and place into separate waste container. Ventilate area and wash spill site after material pickup is complete. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

7 HANDLING AND STORAGE

- Handling Precautions:** Avoid contact with eyes, skin, or clothing; Consider normal working hygiene. Handle with care and avoid spillage on the floor (slippage). Keep away from sources of ignition; wash thoroughly after handling.
- Storage Requirements:** Keep away from children. Store in cool/dry area; Keep container closed.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering Controls:** Normal room ventilation is satisfactory for limited use.
- Personal Protective Equip:** HMIS PP, B | Safety Glasses, Gloves

Chlorine Dioxide 10049-04-4 OSHA PEL 0.1ppm (air concentration only; not in aqueous solution)

Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

9 PHYSICAL AND CHEMICAL PROPERTIES

- | | | | |
|----------------------------|---------------|--------------------|---------|
| Appearance: | Purple | Odor: | Sweet |
| Physical State: | Liquid | Solubility: | Soluble |
| Spec Grav./Density: | 8.34 lb./gal. | | |
| pH: | 7.5 - 9.0 | | |



NDT - Navel Dip Treatment

MSDS Number: H698125

Revision Date: September 10, 2015

Page 4 of 5

10 STABILITY AND REACTIVITY

Stability:	Product is stable under normal conditions.
Conditions to Avoid:	None known
Materials to Avoid:	Strong bases and reducing agents.
Hazardous Decomposition:	Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids, and other unidentified thermal decomposition products from this product or its packaging.
Hazardous Polymerization:	Will not occur.

11 TOXICOLOGICAL INFORMATION

Chlorine Dioxide 10049-04-4

Oral (LD 50): 292 mg/kg - Rat

Inhalation (LC 50): >547 gm/m³ - mouse

Skin irritation: Mild - Rabbit

Eye irritation: Mild - Rabbit

Sensitation: Not considered an occupational sensitizer

12 ECOLOGICAL INFORMATION

On the basis of available information, this material is not expected to produce any significant environmental effects when recommended use instructions are followed.

13 DISPOSAL CONSIDERATIONS

Recommendation: consultation with the disposal agency and the relevant authorities; cleansing agent is water.

14 TRANSPORT INFORMATION

Ship in accordance with 49 CFR parts 100-185. Non-hazardous for air, sea and road freight.



NDT - Navel Dip Treatment

MSDS Number: H698125

Revision Date: September 10, 2015

Page 5 of 5

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERCENT) / CODES

*Chlorine dioxide (10049044 15-25%) MASS, NJEHS, NJHS, OSHAPSM, OSHAWAC, PA, SARA313, TSCA, TXAIR

REGULATORY KEY DESCRIPTIONS

All components are listed on TSCA

MASS = MA Massachusetts Hazardous Substances List
NJEHS = NJ Extraordinarily Hazardous Substances
NJHS = NJ Right-to-Know Hazardous Substances
OSHAPSM = OSHA Chemicals Requiring process safety management
OSHAWAC = OSHA workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
SARA313 = SARA 313 Title III Toxic Chemicals
TXAIR = TX Air Contaminants with Health Effects Screening Level

16 OTHER INFORMATION

This document is prepared in accordance with 29 CFR 1910.1200. The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees.

All information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the manufacturer's control; therefore the users are responsible to verify this data under their own particular conditions, applications and regulations to determine if the product is suitable for their particular purposes. The users assume all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Prepared by: EHS Manager