

Seals & Gaskets



| Part No. | Original No. | Description | Unit |
|-------------|--------------|---|------|
| 8.749-526.0 | 500.073 | Seal - Bulb Type (12g) EPDM, Weather Strip, 7230 | FT |
| 8.712-860.0 | 500.110 | Seal - Edge Guard, Vinyl (Pebble Finish) | FT |
| 8.713-319.0 | 500.770 | Seal - Bulb Type Side Profile, NBR Rubber, 7230 | FT |
| 9.804-184.0 | 502.644 | Seal - Bulb Type (12g) Nitrile, Side profile | FT |
| 8.714-344.0 | 502.426 | Seal - Door Bottom 7530 (ECH Rubber 60 Duro(A)) | EA |
| 8.714-345.0 | 502.427 | Seal - Door Bottom 7650,7660 (ECH Rubber 60 Duro(A)) | EA |
| 8.714-341.0 | 502.423 | Seal - Door Cabinet Side 7530 (ECH Rubber 60 Duro(A)) | EA |
| 8.714-346.0 | 502.428 | Seal - Door Cabinet Side 7650 (ECH Rubber 60 Duro(A)) | EA |
| 8.714-350.0 | 502.432 | Seal - Door Cabinet Side 7660 (ECH Rubber 60 Duro(A)) | EA |
| 8.714-342.0 | 502.424 | Seal - Door Latch Side 7530 (ECH Rubber 60 Duro(A)) | EA |
| 8.714-347.0 | 502.429 | Seal - Door Latch Side 7650 (ECH Rubber 60 Duro(A)) | EA |
| 8.714-351.0 | 502.433 | Seal - Door Latch Side 7660 (ECH Rubber 60 Duro(A)) | EA |
| 8.714-343.0 | 502.425 | Seal - Door Top 7530 (ECH Rubber 60 Duro(A)) | EA |

NOTE: 502.644 is replacing 501.782

Filters & Baskets



8.705-952.0

| Part No. | Orig. No. | Description | Unit |
|-------------|-----------|---|------|
| 8.705-952.0 | 200.161 | Bag - Filter 150 Micron, Nylon, 18" x 14", 1816, 7220 | EA |
| 8.714-474.0 | 502.650 | Bag - Filter 100 Micron, Krystle Klear, 8" x 30" | EA |
| 8.731-254.0 | 200.162 | Basket - Small Parts, 8" x 8" x 4" | EA |

Nozzles



- 1/4" MNPT
- Hardened Steel

| Part No. | Orig. No. | Description | Unit |
|-------------|-----------|-----------------|------|
| 8.714-202.0 | 502.187 | Nozzle - 80° #3 | EA |
| 8.712-777.0 | 500.003 | Nozzle - 50° #3 | EA |
| 8.712-775.0 | 500.001 | Nozzle - 50° #4 | EA |
| 8.712-973.0 | 500.265 | Nozzle - 50° #6 | EA |

Handles



- Non-conductive
- Non-corrosive

8.712-818.0

| Part No. | Original No. | Description | Unit |
|-------------|--------------|---|------|
| 8.712-818.0 | 500.054 | Handle - Lid/Door (Glass Reinforced Nylon-Black) (7" O.C. Hole Pattern) | EA |
| 9.804-203.0 | 500.521 | Handle - Door/Strainer (Small) | EA |

Heating Elements & Thermostats



8.712-813.0



8.713-593.0



8.713-030.0

| Part No. | Orig No. | Description | Unit |
|-------------|----------|--|------|
| 8.716-653.0 | 502.379 | Heating Element - 1250 W 120V | EA |
| 8.712-813.0 | 500.045 | Heating Element - 4.5 KW 230V 1", 1PH 1" NPT | EA |
| 8.712-954.0 | 500.238 | Heating Element - 9 KW 230V, 3PH 2" NPT | EA |
| 8.713-030.0 | 500.338 | Thermostat - Bulb & Capillary - 195°F (For 3-Phase Machines) | EA |
| 8.713-723.0 | 501.348 | Heating Element - 2 KW 120V | EA |
| 8.713-593.0 | 501.148 | Thermostat - Snap DBC 180°F | EA |

Lid Supports



| Part No. | Orig No. | Description | Unit |
|-------------|----------|----------------------------------|------|
| 8.712-817.0 | 500.053 | Gas Spring - Strut (40A) - 7230 | EA |
| 8.713-317.0 | 500.767 | Gas Spring - Strut - 7689 | EA |
| 8.714-540.0 | 502.820 | Gas Spring - Strut - 7320 / 2003 | EA |

Turntable Drive Components



8.712-863.0



8.714-008.0



8.712-858.0



9.804-423.0



8.712-903.0



9.804-347.0



9.804-346.0

- Heavy-duty

| Part No. | Orig. No. | Description | Unit |
|-------------|-----------|--|------|
| 8.712-863.0 | 500.116 | Gearmotor - AC Fractional 85 rpm w/ Capacitor Turntable, SS Shaft, Double Lip Seal | EA |
| 8.713-730.0 | 501.356 | Gearmotor - AC Fractional 733x & Larger | EA |
| 8.725-371.0 | | Gearmotor - APW | EA |
| 8.725-437.0 | | Replacement Capacitor for 8.725-371.0 | EA |
| 8.714-009.0 | 501.882 | Torque Limiter - Large Size | EA |
| 8.714-008.0 | 501.881 | Torque Limiter - Standard Size | EA |
| 9.804-423.0 | 501.794 | Spring - Compression (864) .8750D x 2.5 L x .120 | EA |
| 8.712-903.0 | 500.165 | Spring - Compression .105 x 1.125 x 3.5 | EA |
| 8.713-320.0 | 500.771 | Chain w/ Connector Link 7320 | EA |
| 8.712-858.0 | 500.108 | Chain w/ Connector Link 7230 | EA |
| 8.713-956.0 | 501.775 | Chain w/ Connector Link (7530) | EA |
| 8.713-957.0 | 501.776 | Chain w/ Connector Link (7650, 7660) | EA |
| 8.714-372.0 | 502.466 | Chain w/ Connector Link 773x, Nickel Plated | EA |
| 8.712-988.0 | 500.284 | Chain w/ Connector Link 786x, Nickel Plated | EA |
| 9.804-347.0 | 500.060 | Bearing - Ball (Lower Turntable) Doubled Sealed | EA |
| 9.804-346.0 | 500.059 | Bearing - Ball (Upper Turntable) Doubled Sealed | EA |
| 8.712-920.0 | 500.192 | Bearing - Taper Roller Turntable 773x, 774x, 786x | EA |

Timers & Switches



8.713-631.0



8.713-357.0



9.804-119.0



9.804-120.0



8.714-018.0



8.713-328.0



8.749-212.0



9.804-510.0

- Easy to use
- Durable

| Part No. | Orig. No. | Description | Unit |
|-------------|-----------|--|------|
| 8.713-357.0 | 500.822 | Timer - 30 Min Spring Wound, Oil skimmer | EA |
| 8.712-832.0 | 500.074 | Timer - 60 Min Spring Wound, Wash | EA |
| 8.712-833.0 | 500.075 | Timer - 12 Hour Spring Wound, Heater | EA |
| 9.804-119.0 | 6-02071 | Switch - Magnetic Reed Sensor N.C. | EA |
| 9.804-118.0 | 6-02072 | Switch - Magnetic Reed Sensor N.O. | EA |
| 9.804-120.0 | 6-02073 | Magnet - Reed Sensor Target | EA |
| 8.714-018.0 | 501.903 | Switch - Rocker (Round), TT On/Off (7230) | EA |
| 8.713-328.0 | 500.787 | Switch - Lighted Rocker, Skimmer/TT On/Off | EA |
| 8.749-212.0 | 500.811 | Switch - Limited, Enclosed | EA |
| 9.804-510.0 | 500.421 | Switch - (Lid/Door) 15 Amp | EA |
| 8.713-631.0 | 501.208 | Timer - Plug-In 20A, 7 Day 24 Hour | EA |

Water Leveling System

| Part No. | Orig. No. | Description | Unit |
|-------------|-----------|---|------|
| 9.804-095.0 | 500.114 | Float - Poly Cylindrical (1-1/2" x x3-3/4") Water Level | EA |
| 8.712-946.0 | 500.225 | Float - Poly Cylindrical 2-3/4" Dia x 1-3/4" H, LWS | EA |

PARTS WASHER PARTS

Pumps & Pump Seals



8.715-395.0

- Heavy-duty




8.715-413.0



8.714-473.0

| Part No. | Orig No. | Description | Unit |
|-------------|----------|--|------|
| 8.715-395.0 | 500.000 | Pump - 1.0 HP 115/230V 1PH Cent Horz Sealed | EA |
| 8.715-413.0 | 500.303 | Pump - 3.0 HP 115/230V 1PH Cent Vert Sealless | EA |
| 8.715-414.0 | 500.469 | Pump - 3.0 HP 230/480V 3PH Cent Vert Sealless | EA |
| 8.715-421.0 | 500.185 | Pump - 5.0 HP 115/230V 1PH Cent Vert Sealless | EA |
| 8.715-422.0 | 500.470 | Pump - 5.0 HP 230/480V 3PH Cent Vert Sealless | EA |
| 8.735-011.0 | 500.305 | Pump - 7.5 HP 230/480V 3PH Cent Vert Sealless | EA |
| 8.714-473.0 | 502.649 | Seal - Pump (126) 2 Pc Viton-Silicon-Carbide (Kit) Includes O-Ring | EA |
| 8.713-359.0 | 500.824 | Seal - Pump (126) 2 Pc Buna-Ceramic Model 126 Pump | EA |
| 8.713-360.0 | 500.825 | O-Ring, Buna, Model 126 Pump | EA |
| 8.714-320.0 | 502.381 | Throttle Bushing - 3PH - 5PH | |


Skimmer Components



8.904-676.0

| Part No. | Orig No. | Description | Unit |
|-------------|------------|---|------|
| 8.904-676.0 | 500.687 | Gearmotor - AC Fractional 6 RPM 1.03 Amp Skimmer/Drive w/ Fan | EA |
| 9.804-097.0 | 95-0749202 | Disc - Oil Skimmer, Stainless Steel | EA |

Detail Components



8.712-778.0



8.712-810.0



9.804-091.0

| Part No. | Orig No. | Description | Unit |
|-------------|----------|------------------------------|------|
| 8.712-778.0 | 500.004 | Pump - Air Powered Diaphragm | EA |
| 9.804-091.0 | 500.049 | Brush - Polyprow (Flo-Thru) | EA |
| 8.712-810.0 | 500.041 | Regulator - 1/4" NPT | EA |
| 8.712-835.0 | 500.077 | Steel Cup Brush | EA |

Contactors & Relays



8.713-011.0



8.713-649.0

| Part No. | Orig No. | Description | Unit |
|-------------|----------|--|------|
| 8.713-011.0 | 500.316 | Contactors - 3 Pole (C09), 9 Amp Inductive | EA |
| 8.714-331.0 | 502.406 | Contactors - 3 Pole (C12), NC Aux Contacts 12 Amp Inductive | EA |
| 8.714-330.0 | 502.405 | Contactors - 3 Pole (C16), NC Aux Contacts 16 Amp Inductive | EA |
| 8.713-044.0 | 500.355 | Contactors - 3 Pole (C16), 16 Amp Inductive | EA |
| 8.713-045.0 | 500.356 | Contactors - 3 Pole (C23), 30 Amps | EA |
| 8.713-649.0 | 501.241 | Relay - Power (25A DPDT) Surface Mount 8 Term for 110V, 7220 | EA |

Fuses



- Full range of fuses
- Protect your equipment

| Part No. | Original No. | Description | Unit |
|-------------|--------------|-------------------------------|------|
| 8.749-237.0 | 502.206 | Fuse - 1 Amp (ABC) | EA |
| 8.713-912.0 | 500.796 | Fuse - 10 Amp Elec. Panel 1PH | EA |
| 8.713-078.0 | 500.391 | Fuse - 2 Amp | EA |
| 8.713-288.0 | 500.712 | Fuse - 20 Amp | EA |
| 8.713-369.0 | 500.847 | Fuse - 25 Amp | EA |
| 8.713-574.0 | 501.119 | Fuse - 3 Amp | EA |
| 8.713-291.0 | 500.715 | Fuse - 30 Amp | EA |
| 8.713-652.0 | 501.244 | Fuse - 40 Amp | EA |
| 8.749-432.0 | 500.708 | Fuse - 50 Amp | EA |

| | | | |
|-------------|---------|---------------------------|----|
| 8.713-066.0 | 500.379 | Fuse - Class CC 10 Amp | EA |
| 8.713-067.0 | 500.380 | Fuse - Class CC 12 Amp | EA |
| 8.713-063.0 | 500.376 | Fuse - Class CC 15 Amp | EA |
| 8.713-064.0 | 500.377 | Fuse - Class CC 3 1/2 Amp | EA |
| 8.713-775.0 | 501.434 | Fuse - Class CC 6 Amp | EA |
| 8.713-529.0 | 501.055 | Fuse - Class CC 8 Amp | EA |

| | | | |
|-------------|---------|--------------------------|----|
| 8.713-686.0 | 501.296 | Fuse - Class R 1 1/2 Amp | EA |
| 8.713-080.0 | 500.393 | Fuse - Class R 1 Amp | EA |
| 8.713-912.0 | 501.650 | Fuse - Class R 10 Amp | EA |
| 8.713-286.0 | 500.709 | Fuse - Class R 2 Amp | EA |
| 8.713-293.0 | 500.717 | Fuse - Class R 20 Amp | EA |
| 8.713-920.0 | 501.662 | Fuse - Class R 3 Amp (1) | EA |
| 8.713-284.0 | 500.707 | Fuse - Class R 30 Amp | EA |
| 8.713-878.0 | 501.590 | Fuse - Class R 8 Amp | EA |

Detergent Scoop



- Good for measuring
- Good handouts
- 16 oz

| Part No. | Original No. | Description | Unit |
|-------------|--------------|--------------------------|------|
| 8.714-553.0 | 876500 | Scoop - Detergent, 16 oz | EA |

Decals & Labels



9.804-372.0



8.714-068.0

- Oil, grease & solvent resistant

| Part No. | Orig. No. | Description | Unit |
|--------------|-----------|--|------|
| 8.915-418.0* | 501.986 | Decal - Apron (7530) | EA |
| 9.804-224.0* | 500.290 | Decal - Caution (Check Water Level...) | EA |
| 9.804-352.0* | 500.123 | Decal - Danger High Voltage (All 230V, 460V, 575V) | EA |
| 8.904-657.0* | 502.010 | Decal - Door Graphic (7530, 7650, 7662) | EA |
| 8.904-661.0* | 502.342 | Decal - Door Graphic, 12" x 22" (7732, 7742, 7862) | EA |
| 8.904-651.0* | 500.727 | Decal - Front Logo 723x | EA |
| 8.713-298.0* | 500.726 | Decal - Front Sump 723x | EA |
| 8.714-071.0* | 501.988 | Decal - Level Gauge (7530, 7650, 7662) | EA |
| 9.804-223.0* | 500.256 | Decal - Operator Instruction (All Models) | EA |
| 9.804-372.0* | 500.334 | Decal - Warning, Yellow & Black (All 230V, 460V, 575V) | EA |

| | | | |
|--------------|---------|--|----|
| 8.714-068.0* | 501.985 | Label - Control (7530, 7650,7662) w/ Low Water | EA |
| 8.713-667.0* | 501.265 | Label - Control (732x, w/ Low Water) | EA |

*items ship from Camas, WA

Misc Replacement Parts

| Part No. | Orig. No. | Description | Unit |
|-------------|-----------|---------------------------------------|------|
| 8.713-037.0 | 500.347 | Wheel - Polyolefin 4" x 2" (Top Load) | EA |
| 8.712-939.0 | 500.213 | Pin - Clevis 3/4" x 3-1/2" (Top Load) | EA |
| 8.749-200.0 | 500.133 | Pin - Clevis 5/8" x 2-1/4" | EA |